

AD. CARRIEL SUR (INTL O/R) CONCEPCION - CHILE

SCIE IAC 8 RNAV (RNP) Z RWY 02


APP CONCEPCION Concepción Approach	124.2	TORRE CONCEPCION Concepción Tower	118.6	CONTROL TERRESTRE Ground Control	121.9
---------------------------------------	-------	--------------------------------------	-------	-------------------------------------	-------

RNAV	FINAL APCH CRS 019°	MNM ALT PANOV 1700' (1674')	DA(H) 280' (254')	AD Elev. THR 02 Elev. 26'	
-------------	-------------------------------	---------------------------------------	-----------------------------	-------------------------------------	---


APCH FRUSTRADA: Ascenso 3500' directo ARTEN, ingreso HLDG 199° derecha o según autorización ATC.

Missed Apch: Climb to 3500' direct to ARTEN, enter on HLDG 199° right or according to ATC clearance.

MSA 25 NM RW02



- Nota / Note:**
- Segmentos Inicial / Intermedio
 - Initial / Intermediate Segments:
RNP 0.3
 - Aproximación Frustrada
 - Missed Approach:
RNP 1



A B C D	DIRECTO RWY 02 <i>Straight in RWY 02</i>		RNP AR RWY 02 SCIE: Para sistemas Baro VNAV no compensados proc NA bajo 0°C o sobre 47°C. Autorización requerida de acuerdo a DAN 06-22. For uncompensated Baro VNAV systems procedure NA below 0°C or above 47°C. Authorization required according to DAN 06-22.
	RNP 0.1		
	DA 280' (254')		
	ALSF-2	WO ALSF-2	
A			
B	0.8 Km	1.6 Km	
C			
D			

Veloc. Terrestre Kts	80	100	120	140	160	REQUIERE AUTORIZACIÓN ESPECIAL PARA ACFT Y TRIPULACIÓN SPECIAL ACFT AND AIRCREW AUTHORIZATION RQRD
Angulo DES 3.0° FPM	425'	531'	637'	743'	849'	
MAPt en DA						

CAMBIO: → LOKUB
Change: → LOKUB

DGAC **NOTAM N°A2155/17**

17 AGOSTO 2017

REEMPLAZA AMDT 81

DASA / SECCION IAS-MAP