

AD. LA ARAUCANIA FREIRE - CHILE



SCQP IAC 8
RNAV(GNSS) Rwy 19

TEMUCO RADAR Temuco Radar	118.7 / 119.2	TORRE TEMUCO Temuco Tower	118.4	CONTROL TERRESTRE Ground Control	121.6
RNAV	FINAL APCH CRS 190°	MNM ALT DORGA 2000'	LNAV/VNAV DA(H) 600'(291')	AD Elev THR 19 Elev	321' 309'

5000 FT

MSA 25 NM RWY19

APCH FRUSTRADA: Ascenso a 3500' directo DOMGI, ingreso HLDG 010° derecha o según autorización ATC.
Missed Apch: Climb to 3500' direct to DOMGI, enter on HLDG 010° right or according to ATC clearance.



CATEGORÍA	DIRECTO RWY 19 Straight in RWY 19		CIRCULANDO Circling	ALTN Alternate Minimums
	LNAV/VNAV DA 600'(291')	LNAV MDA 620'(311')		
A	1.6 Km	1.6 Km	760'(439')	VER PAG. GEN 2.19
B			1.6 Km	
C			2.4 Km	
D			3.2 Km	

- Requiere aprobación RNP APCH. - RNP APCH approval RQRD.			Para sistemas Baro VNAV no compensados proc NA bajo -10°C o sobre 47°C. For uncompensated Baro VNAV systems procedure NA below -10°C or above 47°C.		
Veloc. Terrestre Kts	80	100	120	140	160
Angulo DES 3°	425'	531'	637'	743'	849'
MAPt en RW19					

DASA / SECCION A35-MAP